

Brother ADS-4900W ADF + arkinsyöttöskanneri 600 x 600 DPI A4 musta, Valkoinen

Tuotemerkki : Brother

Tuotekoodi: ADS4900WT

Tuotteen nimi : ADS-4900W

Brother ADS-4900W. Skannauksen enimmäiskoko: 215,9 x 355,6 mm, Optinen skannauserottelutarkkuus: 600 x 600 DPI, Tehostettu skannaustarkkuus: 1200 x 1200 DPI. Skannerityyppi: ADF + arkinsyöttöskanneri, Tuotteen väri: musta, Valkoinen, Näyttö: LCD. Anturin tyyppi: Dual CIS, Päivittäinen käyttöjakso (maks.): 9000 sivua, Valonlähde: LED. Automaattisen asiakirjojen syöttölaitteen kapasiteetti: 100 arkia. Suurin ISO A-luokan paperikoko: A4, Tuetut skannausmediatypit: Käyntikortti, Tavallinen paperi, Muovikortti, Uusiopaperi, Paksu paperi, Ohut paperi, Media paksuus (min.): 0,08 mm



Scanning		Network	
Maximum scan size *	215.9 x 355.6 mm	Wi-Fi	✔
Optical scanning resolution *	600 x 600 DPI	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n)
Enhanced scan resolution	1200 x 1200 DPI	Ethernet LAN	✔
Colour scanning	✔	Security algorithms	AES, EAP-FAST, EAP-MD5, EAP-TLS, EAP-TTLS, HTTPS, PEAP, SMTP-AUTH, SNMPv3, SSL/TLS, TKIP, TLS, WEP, WPA-PSK, WPA2-AES, WPA2-PSK, WPA3
Duplex scanning *	✔		
Input colour depth	48 bit		
Output colour depth	24 bit		
Output greyscale depth	8 bit	Supported network protocols (IPv6)	RA, DNS Resolver, mDNS, LLMNR responder, Web Services(Scan), SNTp Client, HTTP/HTTPS server, ICMPv6
Greyscale levels	256		
ADF scan speed (b/w, A4)	60 ppm		
ADF scan speed (colour, A4)	60 ppm		
Duplex ADF scan speed (b/w, A4)	120 ipm	Supported network protocols (IPv4)	DHCP, APIPA (Auto IP), WINS/NetBIOS, DNS Resolver, mDNS, SNMPv1/v2c/v3, ICMP, Web Services(Scan), HTTP/HTTPS server, LLMNR responder, SNTp Client, LDAP
Duplex ADF scan speed (colour, A4)	120 ipm		
Design			
Scanner type *	ADF + Sheet-fed scanner		
Product colour *	Black, White	IPv6 support	✔
Display	LCD	Power	
Display diagonal	10.9 cm (4.3")	Power supply type *	AC
Touchscreen	✔	Power consumption (typical)	34 W
Colour display	✔	Power consumption (standby)	7.7 W
Control type	Touch	Power consumption (off)	0.1 W
Built-in display *	✔	Sleep mode	✔
Performance		Power consumption (sleep)	1.7 W
Sensor type *	Dual CIS	Output voltage	24 V
Light source	LED	Output current	1.9 A
Scan file formats	JPEG, PDF, TIFF	Auto power off	✔
Daily duty cycle (max) *	9000 pages		

Performance		Weight & dimensions	
Maximum duty cycle	180000 pages per month	Width	300 mm
Scan to	E-mail Server, FTP, HTTP, PC, SMB	Depth	247 mm
Scan drivers	ISIS, SANE, TWAIN, WIA	Height	236 mm
Ultrasonic sensor	✓	Weight	3.37 kg
Scanning noise level	62 dB	Packaging data	
Input capacity		Quantity per pack	1 pc(s)
Auto document feeder (ADF) input capacity	100 sheets	Package width	393 mm
Paper handling		Package depth	288 mm
Scanning media types supported	Business Card, Plain paper, Plastic Card, Recycled paper, Thick paper, Thin paper	Package height	334 mm
Long-paper mode	✓	Package weight	4.2 kg
Maximum ISO A-series paper size *	A4	System requirements	
Media thickness (min)	0.08 mm	Windows operating systems supported	✓
Card thickness (max)	1.32 mm	Mac operating systems supported	✓
Paper tray media weight	25 - 413 g/m²	Linux operating systems supported	✓
Maximum scan width	21.6 cm	Server operating systems supported	Windows Server 2012 R2, Windows Server 2016, Windows Server 2019
Maximum scan length	5 m	Operational conditions	
Ports & interfaces		Operating temperature (T-T)	5 - 35 °C
USB port *	✓	Storage temperature (T-T)	-20 - 60 °C
USB version	2.0/3.2 Gen 1 (3.1 Gen 1)	Operating relative humidity (H-H)	20 - 80%
		Storage relative humidity (H-H)	10 - 90%
		Other features	
		Cable lock slot	✓
		Certification	GS Mark, WHQL, WHQL, ISIS, Wi-Fi CERTIFIED - WPA3 Enterprise, WPA3 Personal, Wi-Fi Protected Setup, Wi-Fi Direct, KofaxTM 5,10 - VRS Elite 5.2.0, Kofax Express 3.3.0

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 30-NOV-2024. Prints or copies of Information are only valid on the printed Publication date