iiyama G-MASTER GCB3481WQSU-B1 tietokoneen litteä näyttö 86,4 cm (34") 3440 x 1440 pikseliä UltraWide Quad HD LCD musta

Tuotemerkki : iiyama

Tuoteperhe: G-MASTER

Tuotekoodi: GCB3481WQSU-B1

Tuotteen nimi : GCB3481WQSU-B1

iiyama G-MASTER GCB3481WQSU-B1. Näytön halkaisija: 86,4 cm (34"), Näytön erottelutarkkuus: 3440 x 1440 pikseliä, HD-tyyppi: UltraWide Quad HD, Näytön teknologia: LCD, Vasteaika (tyypillinen): 0,3 ms, Vakiokuvasuhde: 21:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäiset kaiuttimet. Sisäänrakennettu USB-keskus, USB-keskuksen versio: 3.2 Gen 1 (3.1 Gen 1). VESA-kiinnitys, Korkeudensäätö. Tuotteen väri: musta



Display

Display	
Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type * Touchscreen * Display brightness (typical) Response time * Screen shape * Screen curvature rating Contrast ratio (typical) * Contrast ratio (dynamic) Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Pixel pitch	86.4 cm (34") 3440 x 1440 pixels UltraWide Quad HD 21:9 LCD VA X 500 cd/m ² 0.3 ms Curved 1500R 4000:1 8000000:1 180 Hz 178° 178°
Viewing angle, vertical	178°
Pixel pitch Horizontal scan range	48 - 180 kHz
Viewable size, horizontal Viewable size, vertical Display diagonal (metric) High Dynamic Range (HDR)	79.7 cm 33.4 cm 86.4 cm
supported High Dynamic Range (HDR) technology	High Dynamic Range (HDR) 400
Performance	
AMD FreeSync * AMD FreeSync type AMD FreeSync refresh rate range	 ✓ FreeSync 48 - 180 Hz
Flicker-free technology	 Image: A second s

1

2

6 W

Low Blue Light technology

Multimedia

Number of speakers

RMS rated power

Ports & interfaces	
Headphone out *	J
HDCP	1
Ergonomics	
VESA mounting *	1
Panel mounting interface	100 x 100 mm
Cable lock slot *	✓
Cable lock slot type	Kensington
Height adjustment *	✓
Adjustable height (max)	11 cm
Tilt angle range	20 - 5°
Picture-in-Picture	 Image: A set of the set of the
On Screen Display (OSD)	✓
On Screen Display (OSD) languages	Czech, German, Dutch, English, Spanish, French, Italian, Japanese, Polish, Russian
Number of OSD languages	10
Power	
Energy efficiency class (SDR) *	G
Energy consumption (SDR) per 1000 hours *	32 kWh
Energy consumption (HDR) per 1000 hours *	64 kWh
	64 kWh 54 W
1000 hours *	
1000 hours * Power consumption (typical) *	54 W
1000 hours * Power consumption (typical) * Power consumption (standby) * Power consumption (off) AC input voltage	54 W 0.5 W 0.3 W 100 - 240 V
1000 hours * Power consumption (typical) * Power consumption (standby) * Power consumption (off) AC input voltage AC input frequency	54 W 0.5 W 0.3 W 100 - 240 V 50/60 Hz
1000 hours * Power consumption (typical) * Power consumption (standby) * Power consumption (off) AC input voltage AC input frequency Energy efficiency scale	54 W 0.5 W 0.3 W 100 - 240 V
1000 hours * Power consumption (typical) * Power consumption (standby) * Power consumption (off) AC input voltage AC input frequency	54 W 0.5 W 0.3 W 100 - 240 V 50/60 Hz
1000 hours * Power consumption (typical) * Power consumption (standby) * Power consumption (off) AC input voltage AC input frequency Energy efficiency scale European Product Registry for	54 W 0.5 W 0.3 W 100 - 240 V 50/60 Hz A to G

256 mm

551.5 mm

Depth (with stand)

Height (with stand)

Multimedia		Weight & dimensions	
Built-in speaker(s) *	 Image: A second s	Weight (with stand)	7.6 kg
Built-in camera *	×	Packaging data	
Design		Package width	899 mm
Market positioning *	Office	Package depth	237 mm
Product colour *	Black	Package height	502 mm
	Didek	Package weight	10.6 kg
Ports & interfaces		Dackaging contant	
Built-in USB hub *	1	Packaging content	
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Cables included	AC, DisplayPort, HDMI, USB
	, , ,	Quick start guide	Image: A start of the start
HDMI *	 Image: A set of the set of the		
HDMI ports quantity	2	Other features	
DisplayPorts quantity	2	Certification	CE, EAC, RoHS support, ErP, WEEE, REACH, UKCA



4948570124251

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.