

## iiyama ProLite XUB2293HSU-B7 tietokoneen litteä näyttö 54,6 cm (21.5") 1920 x 1080 pikseliä Full HD LED musta

**Tuotemerkki :** iiyama

**Tuoteperhe:** ProLite

**Tuotekoodi:** XUB2293HSU-B7

**Tuotteen nimi :** XUB2293HSU-B7

iiyama ProLite XUB2293HSU-B7. Näytön halkaisija: 54,6 cm (21.5"), Näytön erottelutarkkuus: 1920 x 1080 pikseliä, HD-tyyppi: Full HD, Näytön teknologia: LED, Näytön pinta: Matta, Vasteaika (tyypillinen): 1 ms, Vakiokuvasuhde: 16:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäiset kaiuttimet. Sisäänrakennettu USB-keskus, USB-keskuksen versio: 2.0. VESA-kiinnitys, Korkeudensäätö. Tuotteen väri: musta



Display		Ports & interfaces	
Display diagonal *	54.6 cm (21.5")	HDCP	✓
Display resolution *	1920 x 1080 pixels	Ergonomics	
HD type *	Full HD	VESA mounting *	✓
Native aspect ratio *	16:9	Panel mounting interface	100 x 100 mm
Display technology *	LED	Cable management	✓
Panel type *	IPS	Cable lock slot *	✓
Touchscreen *	✗	Cable lock slot type	Kensington
Display brightness (typical)	300 cd/m²	Height adjustment *	✓
Response time *	1 ms	Adjustable height (max)	15 cm
Response time (MPRT)	1 ms	Pivot	✓
Display surface	Matt	Pivot angle	0 - 90°
Screen shape *	Flat	Swivelling	✓
Contrast ratio (typical) *	1000:1	Swivel angle range	60 - 120°
Contrast ratio (dynamic)	80000000:1	Tilt adjustment	✓
Maximum refresh rate *	100 Hz	Tilt angle range	5 - 23°
Viewing angle, horizontal	178°	On Screen Display (OSD)	✓
Viewing angle, vertical	178°	On Screen Display (OSD) languages	Czech, German, Dutch, English, Spanish, French, Italian, Japanese, Polish, Russian
Display number of colours *	16.7 million colours		
Pixel pitch	0.249 x 0.249 mm	Power	
Horizontal scan range	30 - 110 kHz	Energy efficiency class (SDR) *	E
Viewable size, horizontal	47.9 cm	Energy efficiency class (HDR) *	Not available
Viewable size, vertical	26 cm	Energy consumption (SDR) per 1000 hours *	15 kWh
Display diagonal (metric)	54.5 cm	Power consumption (typical) *	17 W
DDC/CI	✓	Power consumption (standby) *	0.5 W
Colour gamut standard	NTSC, sRGB		
sRGB coverage (typical)	96%		
NTSC coverage (typical)	72%		

Performance		Power	
Flicker-free technology	✓	Power consumption (off)	0.3 W
Low Blue Light technology	✓	AC input voltage	100 - 240 V
Multimedia		AC input frequency	50/60 Hz
Number of speakers	2	Power supply type	Internal
RMS rated power	4 W	Energy efficiency scale	A to G
Built-in speaker(s) *	✓	Weight & dimensions	
Built-in camera *	✗	Width (with stand)	492 mm
Design		Depth (with stand)	209.5 mm
Market positioning *	Business	Height (with stand)	478.5 mm
Product colour *	Black	Weight (with stand)	3.9 kg
Ports & interfaces		Width (without stand)	492 mm
Built-in USB hub *	✓	Depth (without stand)	209.5 mm
USB hub version	2.0	Height (without stand)	328.5 mm
HDMI *	✓	Packaging data	
HDMI ports quantity	1	Package width	620 mm
DisplayPorts quantity	1	Package depth	126 mm
Headphone out *	✓	Package height	395 mm
		Package weight	5.3 kg
		Package type	Box



4948570124572

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 29-JAN-2025. Prints or copies of Information are only valid on the printed Publication date