


iivama LH4341UHS-B2 infonäyttö 108 cm (42.5") LCD 500 cd/m² 4K Ultra HD Sisäänrakennettu prosessori Android 8.0 18/7

Tuotemerkki : iivama

Tuotekoodi: LH4341UHS-B2

Tuotteen nimi : LH4341UHS-B2

iivama LH4341UHS-B2. Näytön halkaisija: 108 cm (42.5"), Näytön teknologia: LCD, Näytön erottelutarkkuus: 3840 x 2160 pikseliä, Näytön kirkkaus: 500 cd/m², HD-tyyppi: 4K Ultra HD. Toiminta-aika (tunteja/päiviä): 18/7. Käyttöjärjestelmä asennettu: Android 8.0



Display		Performance	
Panel type	IPS	HDCP	✓
Display diagonal *	108 cm (42.5")	Power	
Display technology *	LCD	Power consumption (typical) *	107 W
Display resolution *	3840 x 2160 pixels	Power consumption (standby) *	0.5 W
Display brightness *	500 cd/m²	Power consumption (off)	0.3 W
HD type *	4K Ultra HD	Energy efficiency class (SDR)	G
Touchscreen *	✗	AC input voltage	100 - 240 V
Native aspect ratio	16:9	AC input frequency	50 - 60 Hz
Response time	8 ms	Energy efficiency scale	A to G
Contrast ratio (typical)	1200:1	Computer system	
Viewing angle, horizontal	178°	Computer system *	✓
Viewing angle, vertical	178°	Built-in processor *	✓
Display number of colours	1.073 billion colours	Processor model	V810
Pixel pitch	0.245 x 0.245 mm	Internal memory	2 GB
Active display area (W x H)	941.2 x 529.4 mm	Internal storage capacity	16 GB
Display diagonal (metric)	108 cm	Operating system installed	Android 8.0
Horizontal scan range	30 - 80 kHz	Weight & dimensions	
Haze rate	1%	Display width	968 mm
Ports & interfaces		Display depth	54 mm
HDMI ports quantity *	3	Display height	557.5 mm
DVI port *	✓	Display weight	8.9 kg
USB port *	✓	Width	1929 mm
USB ports quantity	2	Depth	69.5 mm
USB version	2.0/3.2 Gen 1 (3.1 Gen 1)	Height	1100 mm
Ethernet LAN *	✓	Weight	63.8 kg
Ethernet LAN (RJ-45) ports	1	Packaging data	
Wi-Fi *	✗	Package width	1075 mm
PC Audio in	✓	Package depth	683 mm
RS-232C	✓	Package height	127 mm
Remote (IR) input	1	Packaging content	
Remote (IR) output	1	Remote control included	✓
Design		Batteries included	✓
Placement supported *	Indoor	Cables included	AC, HDMI, RS-232
Orientation	Horizontal/Vertical	Operational conditions	
VESA mounting *	✓	Operating temperature (T-T)	0 - 40 °C
Panel mounting interface	600 x 400 mm	Storage temperature (T-T)	-20 - 60 °C
Bezel width (bottom)	1.55 cm		
Bezel width (side)	1.55 cm		
Bezel width (top)	1.55 cm		

Performance		Certificates	
Purpose *	Universal	Certification	CB, CE, TÜV-Bauart, EAC, ErP, WEEE, REACH
On Screen Display (OSD)	✓	Logistics data	
Number of OSD languages	11	Harmonized System (HS) code	85285210
On Screen Display (OSD) languages	Czech, German, Dutch, English, Spanish, French, Italian, Japanese, Polish, Russian	Technical details	
Operating hours (hours/days)	18/7	Compliance certificates	RoHS
		Other features	
		Quick start guide	✓
		Housing material	Metal



4948570123520

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 29-JAN-2025. Prints or copies of Information are only valid on the printed Publication date