iiyama

iiyama ProLite XUB2797HSU-B2 tietokoneen litteä näyttö 68,6 cm (27") 1920 x 1080 pikseliä Full HD LED musta

Tuotemerkki : iiyama   **Tuoteperhe:** ProLite   **Tuotekoodi:** XUB2797HSU-B2

Tuotteen nimi : XUB2797HSU-B2

iiyama ProLite XUB2797HSU-B2. Näytön halkaisija: 68,6 cm (27"), Näytön erottelutarkkuus: 1920 x 1080 pikseliä, HD-tyyppi: Full HD, Näytön teknologia: LED, Näytön pinta: Matta, Vasteaika (tyypillinen): 1 ms, Vakiokuvasuhde: 16:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäiset kaiuttimet. Sisäänrakennettu USB-keskus, USB-keskuksen versio: 3.2 Gen 1 (3.1 Gen 1). VESA-kiinnitys, Korkeudensäätö. Tuotteen väri: musta

Display

Display diagonal *	68.6 cm (27")
Display resolution *	1920 x 1080 pixels
HD type *	Full HD
Native aspect ratio *	16:9
Display technology *	LED
Panel type *	IPS
Touchscreen *	✕
Display brightness (typical)	300 cd/m²
Response time *	1 ms
Display surface	Matt
Screen shape *	Flat
Contrast ratio (typical) *	1000:1
Contrast ratio (dynamic)	80000000:1
Maximum refresh rate *	100 Hz
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours *	16.7 million colours
Pixel pitch	0.311 x 0.311 mm
Horizontal scan range	30 - 110 kHz
Viewable size, horizontal	33.6 cm
Viewable size, vertical	59.8 cm
Display diagonal (metric)	68.6 cm
Colour gamut standard	NTSC, sRGB
sRGB coverage (typical)	96%
NTSC coverage (typical)	72%

Performance

VESA Adaptive Sync support	✔
Flicker-free technology	✔
Low Blue Light technology	✔

Multimedia

Number of speakers	2
RMS rated power	2 W
Built-in speaker(s) *	✔
Built-in camera *	✕

Ergonomics

VESA mounting *	✔
Panel mounting interface	100 x 100 mm
Wall mountable	✔
Cable management	✔
Cable lock slot *	✔
Cable lock slot type	Kensington
Height adjustment *	✔
Adjustable height (max)	15 cm
Pivot	✔
Pivot angle	-90 - 90°
Swivelling	✔
Swivel angle range	120 - 60°
Tilt adjustment	✔
Tilt angle range	23 - 5°
On Screen Display (OSD)	✔
On Screen Display (OSD) languages	Czech, German, Dutch, English, Spanish, French, Italian, Japanese, Polish, Russian

Power

Energy efficiency class (SDR) *	E
Energy efficiency class (HDR) *	Not available
Energy consumption (SDR) per 1000 hours *	22 kWh
Power consumption (typical) *	23 W
Power consumption (standby) *	0.5 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	Internal
Energy efficiency scale	A to G

Weight & dimensions

Width (with stand)	611.5 mm
Depth (with stand)	209.5 mm
Height (with stand)	550.5 mm
Weight (with stand)	5.5 kg

Design

Market positioning *	Business
Product colour *	Black

Ports & interfaces

Built-in USB hub *	✔
USB hub version	3.2 Gen 1 (3.1 Gen 1)
HDMI *	✔
HDMI ports quantity	1
HDMI version	2.0
DisplayPorts quantity	1
DisplayPort version	1.4
Headphone out *	✔
HDCP	✔

Weight & dimensions

Width (without stand)	611.5 mm
Depth (without stand)	209.5 mm
Height (without stand)	400.5 mm

Packaging data

Package width	691 mm
Package depth	142 mm
Package height	447 mm
Package weight	6.5 kg
Package type	Box

Packaging content

Quick start guide	✔

4948570124879