

# iivama ProLite XU2293HSU-B7 tietokoneen litteä näyttö 54,6 cm (21.5") 1920 x 1080 pikseliä Full HD LED musta

**Tuotemerkki :** iivama

**Tuoteperhe:** ProLite

**Tuotekoodi:** XU2293HSU-B7

**Tuotteen nimi :** XU2293HSU-B7



iivama ProLite XU2293HSU-B7. Näytön halkaisija: 54,6 cm (21.5"), Näytön erottelutarkkuus: 1920 x 1080 pikseliä, HD-tyyppi: Full HD, Näytön teknologia: LED, Näytön pinta: Matta, Vasteaika (tyypillinen): 1 ms, Vakiokuvasuhde: 16:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäiset kaiuttimet. Sisäänrakennettu USB-keskus, USB-keskuksen versio: 2.0. VESA-kiinnitys. Tuotteen väri: musta

Display		Ports & interfaces	
Display diagonal *	54.6 cm (21.5")	HDMI version	1.4
Display resolution *	1920 x 1080 pixels	DisplayPorts quantity	1
HD type *	Full HD	DisplayPort version	1.2
Native aspect ratio *	16:9	Headphone out *	✓
Display technology *	LED	HDCP	✓
Panel type *	IPS	<b>Ergonomics</b>	
Touchscreen *	✗	VESA mounting *	✓
Display brightness (typical)	300 cd/m <sup>2</sup>	Panel mounting interface	100 x 100 mm
Response time *	1 ms	Wall mountable	✓
Display surface	Matt	Cable management	✓
Screen shape *	Flat	Cable lock slot *	✓
Contrast ratio (typical) *	1000:1	Cable lock slot type	Kensington
Contrast ratio (dynamic)	80000000:1	Tilt adjustment	✓
Maximum refresh rate *	100 Hz	Tilt angle range	22 - 4°
Viewing angle, horizontal	178°	On Screen Display (OSD)	✓
Viewing angle, vertical	178°	On Screen Display (OSD) languages	Czech, German, Dutch, English, Spanish, French, Italian, Japanese, Polish, Russian
Display number of colours *	16.7 million colours	<b>Power</b>	
Pixel pitch	0.249 x 0.249 mm	Energy efficiency class (SDR) *	E
Horizontal scan range	30 - 110 kHz	Energy efficiency class (HDR) *	Not available
Viewable size, horizontal	26 cm	Energy consumption (SDR) per 1000 hours *	15 kWh
Viewable size, vertical	47.9 cm	Power consumption (typical) *	17 W
Display diagonal (metric)	54.5 cm	Power consumption (standby) *	0.5 W
DDC/CI	✓	Power consumption (off)	0.3 W
Colour gamut standard	NTSC, sRGB	AC input voltage	100 - 240 V
sRGB coverage (typical)	96%	AC input frequency	50/60 Hz
NTSC coverage (typical)	72%	Power supply type	Internal
<b>Performance</b>		Energy efficiency scale	A to G
VESA Adaptive Sync support	✓		
Flicker-free technology	✓		
Low Blue Light technology	✓		

Multimedia		Weight & dimensions	
Number of speakers	2	Width (with stand)	492 mm
RMS rated power	2 W	Depth (with stand)	178 mm
Built-in speaker(s) *	✓	Height (with stand)	359 mm
Built-in camera *	✗	Weight (with stand)	2.6 kg
Design		Packaging data	
Market positioning *	Business	Package width	564 mm
Product colour *	Black	Package depth	122 mm
Ports & interfaces		Package height	380 mm
Built-in USB hub *	✓	Package weight	3.6 kg
USB hub version	2.0	Package type	Box
HDMI *	✓	Packaging content	
HDMI ports quantity	1	Quick start guide	✓



4948570124565

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 29-JAN-2025. Prints or copies of Information are only valid on the printed Publication date