

## ASUS VA27UCPS tietokoneen litteä näyttö 68,6 cm (27") 3840 x 2160 pikseliä 4K Ultra HD LCD musta

**Tuotemerkki :** ASUS

**Tuotekoodi:** 90LM09WJ-B03170

**Tuotteen nimi :** VA27UCPS

ASUS VA27UCPS. Näytön halkaisija: 68,6 cm (27"), Näytön erottelutarkkuus: 3840 x 2160 pikseliä, HD-tyyppi: 4K Ultra HD, Näytön teknologia: LCD, Vasteaika (tyypillinen): 5 ms, Vakiokuvausuhde: 16:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäiset kaiuttimet. Sisäänrakennettu USB-keskus, USB-keskuksen versio: 3.2 Gen 1 (3.1 Gen 1). VESA-kiinnitys, Korkeudensäätö. Tuotteen väri: musta



| Display                             |                               | Ports & interfaces              |              |
|-------------------------------------|-------------------------------|---------------------------------|--------------|
| Display diagonal *                  | 68.6 cm (27")                 | HDMI *                          | ✓            |
| Display resolution *                | 3840 x 2160 pixels            | HDMI ports quantity             | 1            |
| HD type *                           | 4K Ultra HD                   | HDMI version                    | 2.0          |
| Native aspect ratio *               | 16:9                          | DisplayPorts quantity           | 1            |
| Display technology *                | LCD                           | DisplayPort version             | 1.4          |
| Panel type *                        | IPS                           | Headphone out *                 | ✓            |
| LED backlight                       | ✓                             | Headphone outputs               | 1            |
| Touchscreen *                       | ✗                             | HDCP                            | ✓            |
| Display brightness (typical)        | 350 cd/m <sup>2</sup>         | HDCP version                    | 2.2          |
| Response time *                     | 5 ms                          | <b>Ergonomics</b>               |              |
| Response time measurement type      | GTG (Gray to Gray)            |                                 |              |
| Anti-glare screen                   | ✓                             |                                 |              |
| Screen shape *                      | Flat                          |                                 |              |
| Contrast ratio (typical) *          | 1000:1                        |                                 |              |
| Contrast ratio (dynamic)            | 3000:1                        |                                 |              |
| Maximum refresh rate *              | 60 Hz                         |                                 |              |
| Viewing angle, horizontal           | 178°                          |                                 |              |
| Viewing angle, vertical             | 178°                          |                                 |              |
| Display number of colours *         | 1.073 billion colours         |                                 |              |
| Pixel pitch                         | 0.155 x 0.155 mm              | VESA mounting *                 | ✓            |
| Viewable size, horizontal           | 59.7 cm                       | Panel mounting interface        | 100 x 100 mm |
| Viewable size, vertical             | 33.6 cm                       | Wall mountable                  | ✓            |
| Digital horizontal frequency        | 30 - 160 kHz                  | Cable lock slot *               | ✓            |
| Digital vertical frequency          | 40 - 60 Hz                    | Cable lock slot type            | Kensington   |
| Display diagonal (metric)           | 69 cm                         | Height adjustment *             | ✓            |
| High Dynamic Range (HDR) supported  | ✓                             | Adjustable height (max)         | 15 cm        |
| High Dynamic Range (HDR) technology | High Dynamic Range 10 (HDR10) | Pivot                           | ✓            |
|                                     |                               | Pivot angle                     | -90 - 90°    |
|                                     |                               | Swivelling                      | ✓            |
|                                     |                               | Swivel angle range              | -180 - 180°  |
|                                     |                               | Tilt adjustment                 | ✓            |
|                                     |                               | Tilt angle range                | -5 - 35°     |
|                                     |                               | <b>Power</b>                    |              |
|                                     |                               |                                 |              |
|                                     |                               | Energy efficiency class (SDR) * | F            |
|                                     |                               | Energy efficiency class (HDR) * | G            |

| Display                               |                       | Power                                     |  |
|---------------------------------------|-----------------------|---|--|
| Colour gamut standard                 | sRGB                  | Energy consumption (SDR) per 1000 hours * | 25 kWh   |
| Colour gamut                          | 99%                   | Energy consumption (HDR) per 1000 hours * | 30 kWh   |
| Performance                           |                       | Power consumption (typical) *             | 24 W   |
| VESA Adaptive Sync support            | ✓                     | Power consumption (off)                   | 0.3 W  |
| Flicker-free technology               | ✓                     | Power consumption (PowerSave)             | 0.5 W  |
| Low Blue Light technology             | ✓                     | AC input voltage                          | 100 - 240 V  |
| Game mode                             | ✓                     | AC input frequency                        | 50/60 Hz   |
| Multimedia                            |                       | Energy efficiency scale                   | A to G   |
| Number of speakers                    | 2                     | Weight & dimensions                       |  |
| RMS rated power                       | 4 W                   | Width (with stand)                        | 614 mm   |
| Built-in speaker(s) *                 | ✓                     | Depth (with stand)                        | 224 mm   |
| Built-in camera *                     | ✗                     | Height (with stand)                       | 523 mm   |
| Design                                |                       | Weight (with stand)                       | 6.9 kg   |
| Market positioning *                  | Business              | Width (without stand)                     | 614 mm   |
| Product colour *                      | Black                 | Depth (without stand)                     | 48 mm  |
| Feet colour                           | Black                 | Height (without stand)                    | 366 mm   |
| Ports & interfaces                    |                       | Weight (without stand)                    | 4.86 kg  |
| Built-in USB hub *                    | ✓                     | Packaging data                            |  |
| USB hub version                       | 3.2 Gen 1 (3.1 Gen 1) | Package width                             | 684 mm   |
| USB Type-A downstream ports quantity  | 4                     | Package depth                             | 146 mm   |
| USB Type-C downstream ports quantity  | 1                     | Package height                            | 466 mm   |
| USB Type-C DisplayPort Alternate Mode | ✓                     | Package weight                            | 9.3 kg   |
| USB Power Delivery (USB PD)           | ✓                     | Package type                              | Box  |
| USB Power Delivery up to              | 65 W                  | Sustainability                            |  |
|                                       |                       | Sustainability certificates               | Forest Stewardship Council (FSC) Mix, TCO, ENERGY STAR, EPEAT Gold |
| Other features                        |                       |   |  |
| Brand specific technologies           |                       | SPLENDID, Eye Care+                       |  |



4711387620694

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 29-JAN-2025. Prints or copies of Information are only valid on the printed Publication date