

ASUS ZenWiFi BD4 Kaksitaajuus (2,4 GHz/5 GHz) Wi-Fi 7 (802.11be) Valkoinen 2 Sisäinen

Tuotemerkki : ASUS

Tuotekoodi: 90IG0960-MO3C40

Tuotteen nimi : ZenWiFi BD4

ASUS ZenWiFi BD4. Tuotteen väri: Valkoinen, Antennityyppi: Sisäinen, Tuotetyyppi: Verkkoreititin. Wi-Fi-taajuus: Kaksitaajuus (2,4 GHz/5 GHz), Wi-Fi-standardi: Wi-Fi 7 (802.11be), WLAN-tiedonsiirtonopeus (maks.): 2882 Mbit/s. Prosessorin taajuus: 1,5 GHz, Sisäinen muisti: 512 MB, Flash-muisti: 128 MB. AC-syöttöjännite: 110 - 240 V, AC-syöttötaajuus: 50 - 60 Hz, AC-adapterin lähtöjännite: 12 V. Tuotteen leveys: 140 mm, Tuotteen syvyys: 70 mm, Tuotteen korkeus: 140 mm



Design		Features	
Product type	Mesh router	Internal memory	512 MB
Product colour *	White	Flash memory	128 MB
LED indicators	Power	Quality of Service (QoS) support	✓
Antenna type *	Internal	Port forwarding	✓
Antennas quantity	4	Firewall security	Firewall
Maximum coverage	603 m²	DHCP server	✓
Reset button	✓	Parental control	✓
Wireless LAN features		MU-MIMO technology	✓
Wi-Fi band *	Dual-band (2.4 GHz / 5 GHz)	Ports & interfaces	
Top Wi-Fi standard *	Wi-Fi 7 (802.11be)	Ethernet LAN (RJ-45) ports *	2
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax), Wi-Fi 7 (802.11be)	Ethernet WAN	✓
		DC-in jack	✓
WLAN data transfer rate (max) *	2882 Mbit/s	Power	
WLAN data transfer rate (first band)	688 Mbit/s	AC input voltage	110 - 240 V
WLAN data transfer rate (second band)	2882 Mbit/s	AC input frequency	50 - 60 Hz
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11be, IEEE 802.11g, IEEE 802.11n	AC adapter output voltage	12 V
		AC adapter output current	1.5 A
Security algorithms	WPA, WPA2, WPA2-Enterprise, WPA3-Personal	Weight & dimensions	
IGMP snooping	✓	Width	140 mm
Dynamic DNS (DDNS)	✓	Depth	70 mm
Guest access	✓	Height	140 mm
Apps supported	ASUS Router	Weight	511 g
		Packaging content	
		Number of products included	3 pc(s)
		AC adapter included	✓
		Ethernet cable	✓

Wireless LAN features		Packaging data	
VPN support	Instant Guard VPN Client L2TP VPN	Package width	339 mm
	Client Open VPN VPN Client PPTP	Package depth	174 mm
	VPN Client WireGuard VPN Server	Package height	150 mm
	IPSec VPN Server Open VPN VPN	Package weight	2.34 kg
	Server PPTP VPN Server WireGuard VPN Fusion		
Features			
Built-in processor	✓		
Processor cores	4		
Processor frequency	1.5 GHz		



4711387580943

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 01-FEB-2025. Prints or copies of Information are only valid on the printed Publication date