



## TP-Link FESTA FS308GP verkkokytkin Hallittu Gigabit Ethernet (10/100/1000) Power over Ethernet -tuki Valkoinen

**Tuotemerkki :** TP-Link

**Tuotekoodi:** FESTA FS308GP

**Tuotteen nimi :** FESTA FS308GP



TP-Link FESTA FS308GP. Kytkin tyyppi: Hallittu. Peruskytkentä RJ-45 Ethernet-porttien tyyppi: Gigabit Ethernet (10/100/1000), Basic kytkentä RJ-45 Ethernet-porttien määrä: 8, Asennettujen SFP moduulien määrä: 2. MAC-osoitetaulukko: 8000 entries, Kytkentäkapasiteetti: 16 Gbit/s. Verkkostandardit: IEEE 802.1ab, IEEE 802.3af, IEEE 802.3at. DC-syöttöjännite: 53.5 V. Power over Ethernet -tuki. Telineasennus



Management features		Design	
Switch type *	Managed	Stackable *	✗
Ports & interfaces		Product colour	White
Basic switching RJ-45 Ethernet ports quantity *	8	Reset button	✓
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Performance	
Installed SFP modules quantity *	2	Firmware upgradeable	✓
Network		Fanless	✓
Networking standards *	IEEE 802.1ab, IEEE 802.3af, IEEE 802.3at	Power	
10G support *	✗	Power source *	DC
Flow control support	✓	DC input voltage	53.5 V
Link aggregation	✓	Input current	1.31 A
Broadcast storm control	✓	Power over Ethernet (PoE)	
Rate limiting	✓	Power over Ethernet (PoE) *	✓
Spanning tree protocol	✓	Power over Ethernet plus (PoE+) ports quantity	4
VLAN support	✓	Power over Ethernet (PoE) power per port	30 W
Data transmission		Total Power over Ethernet (PoE) budget	62 W
Switching capacity *	16 Gbit/s	Operational conditions	
Forwarding rate	11.9 Mpps	Operating temperature (T-T)	0 - 40 °C
MAC address table *	8000 entries	Storage temperature (T-T)	-40 - 70 °C
Jumbo frames support	✓	Operating relative humidity (H-H)	10 - 90%
Jumbo frames	9	Storage relative humidity (H-H)	5 - 90%
Packet buffer memory	4.1 MB	Weight & dimensions	
Security		Width	209 mm
DHCP features	DHCP relay, DHCP server	Depth	126 mm
		Height	26 mm

Security		Certificates	
IGMP snooping	✓	Compliance certificates	CE, Federal Communications Commission (FCC), RoHS
Protocols			
IPv4 & IPv6 features	IPv4/IPv6 access-control list (ACL)		
Design			
Rack mounting *	✓		



8885020621440

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.