

TP-Link Festa FS352G L2/L2+ Gigabit Ethernet (10/100/1000) Power over Ethernet -tuki Valkoinen

Tuotemerkki : TP-Link Tuotekoodi: FESTA FS352GP

Tuotteen nimi: Festa FS352G




TP-Link Festa FS352G. Kytkinkerros: L2/L2+. Peruskytkentä RJ-45 Ethernet-porttien tyyppi: Gigabit Ethernet (10/100/1000), Basic kytkentä RJ-45 Ethernet-porttien määrä: 48. MAC-osoitetaulukko: 16000 entries, Kytkentäkapasiteetti: 104 Gbit/s. Verkkostandardit: IEEE 802.3ab, IEEE 802.3i, IEEE 802.3u, IEEE 802.3z. Power over Ethernet -tuki. Telineasennus



Management features		Performance	
Switch layer	L2/L2+	Flash memory	32 MB
Ports & interfaces		Firmware upgradeable	✓
Basic switching RJ-45 Ethernet ports	40	Fanless	×
quantity *	antity *		
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Power source *	AC
SFP module slots quantity	4	AC input voltage	100 - 240 V
Network		AC input frequency	50/60 Hz
	IEEE 802.3ab, IEEE 802.3i, IEEE	Power over Ethernet (PoE)	
Networking standards *	802.3u, IEEE 802.3z	Power over Ethernet (PoE) *	✓
10G support *	×	Power over Ethernet plus (PoE+)	48
Flow control support	✓	ports quantity Power over Ethernet (PoE) power	
Link aggregation	✓	per port	30 W
Broadcast storm control	✓	Total Power over Ethernet (PoE)	384 W
Auto MDI/MDI-X	✓	budget	30 1 11
VLAN support	✓	Operational conditions	
Data transmission		Operating temperature (T-T)	0 - 50 °C
Switching capacity *	104 Gbit/s	Storage temperature (T-T)	-40 - 70 °C 10 - 90%
Forwarding rate	77.38 Mpps	Operating relative humidity (H-H) Storage relative humidity (H-H)	5 - 90%
MAC address table *	16000 entries	, , ,	3 30%
Jumbo frames support	·	Weight & dimensions	440
Packet buffer memory	12 MB	Width Depth	440 mm 330 mm
Security		Height	44 mm
DHCP features	DHCP relay, DHCP server, DHCP snooping	Packaging content	
Access Control List (ACL)	✓	Cables included	AC
IGMP snooping	✓	User guide	✓

Design		Packaging content	
Rack mounting *	✓	Rack mount kit	✓
Product colour	White	Certificates	
LED indicators Number of fans	✓ 3 fan(s)	Compliance certificates	CE, Federal Communications
Performance	5 lan(3)		Commission (FCC)
Internal memory	256 MB		



8885020622393

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.