## ЛОС

## AOC G4 24G42E tietokoneen litteä näyttö 61 cm (24") 1920 x 1080 pikseliä Full HD LCD musta

Tuotemerkki : AOC

Tuoteperhe: G4

Tuotekoodi: 24G42E

Tuotteen nimi : 24G42E


AOC G4 24G42E. Näytön halkaisija: 61 cm (24"), Näytön erottelutarkkuus: 1920 x 1080 pikseliä, HDtyyppi: Full HD, Näytön teknologia: LCD, Vasteaika (tyypillinen): 1 ms, Vakiokuvasuhde: 16:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. VESA-kiinnitys. Tuotteen väri: musta





Display		Ergonomics	
Display diagonal *	61 cm (24")	VESA mounting *	1
Display resolution *	1920 x 1080 pixels	Panel mounting interface	100 x 100 mm
HD type *	Full HD	Cable lock slot *	1
Native aspect ratio *	16:9	Cable lock slot type	Kensington
Display technology *	LCD	Height adjustment *	×
Panel type *	Fast IPS	Tilt adjustment	1
LED backlight	<i>✓</i>	Tilt angle range	-3 - 21°
Backlight type	W-LED	On Screen Display (OSD)	·
Touchscreen *	×	on screen bisplay (05b)	Simplified Chinese, Traditional
Display brightness (typical)	300 cd/m <sup>2</sup>		Chinese, Croatian, Czech, German,
Response time *	1 ms	On Screen Display (OSD) languages	Dutch, English, Spanish, Finnish, French, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Response time measurement type	GTG (Gray to Gray)		
Response time (MPRT)	0.5 ms		
Anti-glare screen	<ul> <li>Image: A second s</li></ul>	Number of OSD languages	19
Screen shape *	Flat	Plug and Play	1
Contrast ratio (typical) *	1000:1	LED indicators	1
Contrast ratio (dynamic)	8000000:1	Power	
Maximum refresh rate *	180 Hz		_
Viewing angle, horizontal	178°	Energy efficiency class (SDR) *	E
Viewing angle, vertical	178°	Energy efficiency class (HDR) *	F
Display number of colours *	16.7 million colours	Energy consumption (SDR) per 1000 hours *	18 kWh
Pixel pitch	0.2745 x 0.2745 mm	Energy consumption (HDR) per	
Pixel density	92.56 ppi	1000 hours *	22 kWh
Viewable size, horizontal	52.7 cm	Power consumption (typical) *	19 W
Viewable size, vertical	29.6 cm	Power consumption (standby) $^{st}$	0.3 W
Digital horizontal frequency	30 - 200 kHz	Power consumption (max)	29 W
Digital vertical frequency	48 - 180 Hz	Power consumption (off)	0.3 W
Display diagonal (metric)	60.5 cm	AC input voltage	100 - 240 V
High Dynamic Range (HDR) supported	1	AC input frequency	50/60 Hz
High Dynamic Range (HDR)		Input current	1.5 A
technology	High Dynamic Range 10 (HDR10)	Power supply type	Internal
DDC/CI	<ul> <li>Image: A set of the set of the</li></ul>	Energy efficiency scale	A to G

Display		Operational conditions	
Colour gamut standard sRGB coverage (typical) Adobe RGB coverage DCI-P3 coverage Performance	Adobe RGB, DCI-P3, sRGB 129.3% 91.5% 93.9%	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude	0 - 40 °C -25 - 55 °C 10 - 85% 5 - 93% 0 - 5000 m 0 - 12192 m
VESA Adaptive Sync support	✓	Weight & dimensions	
Flicker-free technology	J	Width (with stand)	540 mm
Low Blue Light technology	1	Depth (with stand)	193.9 mm
Game mode	1	Height (with stand)	424.3 mm
Multimedia		Weight (with stand)	3 kg
Built-in speaker(s) *	×	Width (without stand)	540 mm
Built-in camera *	×	Depth (without stand)	50.6 mm
Design		Height (without stand) Weight (without stand)	325 mm 2.62 kg
Market positioning *	Gaming	• •	2.02 kg
Product colour *	Black	Packaging data	610 mm
Frameless design	1	Package width Package depth	395 mm
Front bezel colour	Black	Package height	126 mm
Detachable stand	✓	Package weight	5.61 kg
Ports & interfaces		Packaging content	
Built-in USB hub *	×	Stand included	1
HDMI *	<ul> <li>Image: A start of the start of</li></ul>	Cables included	AC, DisplayPort, HDMI
HDMI ports quantity	1	Other features	
HDMI version DisplayPorts quantity	2.0 1	Low input lag	1
DisplayPort version	1.4	FPS counter	1
Headphone out *	<ul> <li>✓</li> </ul>	Dial point	1
Headphone outputs	1	Shadow control	<ul> <li>Image: A set of the set of the</li></ul>
Headphone connectivity	3.5 mm	Motion blur reduction	<ul> <li>Image: A set of the set of the</li></ul>
HDCP	✓	Warranty period	3 year(s)
HDCP version	2.2	Compliance certificates	CB, CE, Federal Communications Commission (FCC), RoHS





4038986642583

6973985232244

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.