



TP-Link Festa FS352G L2/L2+ Gigabit Ethernet (10/100/1000) Valkoinen

Tuotemerkki : TP-Link

Tuotekoodi: FESTA FS352G

Tuotteen nimi : Festa FS352G



TP-Link Festa FS352G. Kytinkerros: L2/L2+. Peruskäyttö RJ-45 Ethernet-porttien tyyppi: Gigabit Ethernet (10/100/1000), Basic käyttö RJ-45 Ethernet-porttien määrä: 48. MAC-osoitetaulukko: 16000 entries, Käyttökapasiteetti: 104 Gbit/s. Verkko-standardit: IEEE 802.3ab, IEEE 802.3i, IEEE 802.3u, IEEE 802.3z. Telineasennus

| Management features | | Design | |
|---|---|-----------------------------------|-------------|
| Switch layer | L2/L2+ | LED indicators | ✓ |
| Ports & interfaces | | Performance | |
| Basic switching RJ-45 Ethernet ports quantity * | 48 | Internal memory | 256 MB |
| Basic switching RJ-45 Ethernet ports type * | Gigabit Ethernet (10/100/1000) | Flash memory | 32 MB |
| SFP module slots quantity | 4 | Firmware upgradeable | ✓ |
| Network | | Fanless | ✓ |
| Networking standards * | IEEE 802.3ab, IEEE 802.3i, IEEE 802.3u, IEEE 802.3z | Power | |
| 10G support * | ✗ | Power source * | AC |
| Flow control support | ✓ | AC input voltage | 100 - 240 V |
| Link aggregation | ✓ | AC input frequency | 50/60 Hz |
| Broadcast storm control | ✓ | Power over Ethernet (PoE) | |
| Auto MDI/MDI-X | ✓ | Power over Ethernet (PoE) * | ✗ |
| VLAN support | ✓ | Operational conditions | |
| Data transmission | | Operating temperature (T-T) | 0 - 40 °C |
| Switching capacity * | 104 Gbit/s | Storage temperature (T-T) | -40 - 70 °C |
| Forwarding rate | 77.37 Mpps | Operating relative humidity (H-H) | 10 - 90% |
| MAC address table * | 16000 entries | Storage relative humidity (H-H) | 5 - 90% |
| Jumbo frames support | ✓ | Weight & dimensions | |
| Packet buffer memory | 12 MB | Width | 440 mm |
| Security | | Depth | 220 mm |
| DHCP features | DHCP relay, DHCP server, DHCP snooping | Height | 44 mm |
| Access Control List (ACL) | ✓ | Packaging content | |
| IGMP snooping | ✓ | Cables included | AC |
| | | User guide | ✓ |
| | | Rack mount kit | ✓ |

Design

Rack mounting *



Product colour

White

Certificates

Compliance certificates

CE, Federal Communications
Commission (FCC)



8885020624038

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.