Verbatim Mini GaN Charger 100W Universaali musta AC Pikalataus Sisätila

Tuotemerkki : Verbatim Tuotekoodi: 32231

Tuotteen nimi: Mini GaN Charger 100W

Verbatim Mini GaN Charger 100W. Laturin tyyppi: Sisätila, Virtalähteen malli: AC, Laturin yhteensopivuus: Universaali. Tulojännite: 100 - 240 V. USB C-tyyppiporttien määrä: 3, Pikalataus, Virtalähteen suojausominaisuudet: Ylivirta, Ylijännite, Ylikuumeneminen, Oikosulku. Tuotteen väri: musta





Performance		Power	
Charger compatibility *	Universal	Port 1 output current	5 A
Power source type *	AC	Port 2 output current	5 A
USB 3.2 Gen 1 (3.1 Gen 1) Type-A	1	Port 3 output current	3 A
ports quantity USB Type-C ports quantity	3	Port 4 output current	2.25 A
,, , , ,	√	Weight & dimensions	
Fast charging	•	Width	31.5 mm
Fast charging technology Charger type *	Quick Charge 3.0 Indoor	Depth	63 mm
Number of simultaneously	IIIdooi	Height	63 mm
connected devices (max) *	4	Weight	176 g
Programmable power supply (PPS)	✓	Packaging data	
USB Power Delivery (USB PD)	✓	Package width	47 mm
Operating principle	Contact	Package depth	110 mm
USB Power Delivery revision	3.0	Package height	140 mm
USB Power Delivery up to	100 W	Package weight	297 g
Power protection features	Over current, Over voltage, Overheating, Short circuit	Package type	Вох
Design		Packaging content	
Product colour *	Black	Quantity per pack	1 pc(s)
Housing material	Polycarbonate (PC)	AC adapter included	1
LED indicators	/	Included power plug types	EU, UK, US
Plug and Play	1	Logistics data	
Gallium nitride (GaN) transistors	·	Warranty period	2 year(s)
, ,	•	Master (outer) cases per pallet layer	12 pc(s)
Power		Layers per pallet	4 pc(s)
Input voltage	100 - 240 V	Other features	
Input frequency Input current	50/60 Hz 2.5 A	Case or master carton dimensions	255 x 300 x 140 mm
Maximum power	100 W	(W x D x H)	
Maximum power	100 **	Gross weight of outer carton	7400 kg

Power		Other features	
Port 1 output power	100 W	Quantity inner carton	10 pc(s)
Port 2 output power	100 W	Quantity outer carton	20 pc(s)
Port 3 output power	20 W	Outer carton dimensions (W x D x H)	270 x 320 x 290 mm
Port 4 output power	wer 22.5 W	User guide	1





023942322313

0023942322313

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.