

Canon i-SENSYS MF842Cdw Laser A4 1200 x 1200 DPI 38 ppm Wi-Fi

Tuotemerkki : Canon

Tuoteperhe: i-SENSYS

Tuotekoodi: 6162C008


Tuotteen nimi : MF842Cdw

Canon i-SENSYS MF842Cdw. Tulostustekniikka: Laser, Tulostus: Väritulostus, Suurin resoluutio: 1200 x 1200 DPI. Kopiointi: Värikopiointi, Kopioinnin enimmäistarkkuus: 600 x 600 DPI. Skannaus: Väriskanuus, Optinen skannauserottelutarkkuus: 600 x 600 DPI. Kaksipuolinen toiminto: Kopiointi, Faksi, Tulosta, Skannaus. Suurin ISO A-luokan paperikoko: A4. Wi-Fi. Suoratulostus. Tuotteen väri: Valkoinen



Printing		Paper handling	
Print technology *	Laser	Paper tray media types *	Coated paper, Envelopes, Heavy paper, Plain paper, Postcard, Recycled paper, Thin paper
Printing *	Colour printing	ISO A-series sizes (A0...A9) *	A4, A5, A6
Duplex printing *	✓	ISO B-series sizes (B0...B9)	B5, B6
Maximum resolution *	1200 x 1200 DPI	Non-ISO print media sizes	Executive, Legal, Letter, Statement
Print speed (black, normal quality, A4/US Letter) *	38 ppm	Ports & interfaces	
Warm-up time	4 s	Direct printing *	✓
Copying		USB port	✓
Duplex copying *	✓	Network	
Copying *	Colour copying	Wi-Fi *	✓
Maximum copy resolution *	600 x 600 DPI	Ethernet LAN *	✓
Copy speed (colour, normal quality, A4)	38 cpm	Cabling technology	10/100/1000Base-T(X)
Time to first copy (black, normal)	5.9 s	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Time to first copy (colour, normal)	6.9 s	Security algorithms	WPA-TKIP, WPA2-AES, SSL/TLS, WPA2-TKIP, WEP, WPA3-EAP, WPA-AES, WPA3-SAE, WPA-PSK, WPA-PSK2, SNMPv3
Maximum number of copies	999 copies	Performance	
Copier resize	25 - 400%	Internal storage capacity	64 GB
N-in-1 copy function	✓	Internal memory *	2000 MB
Scanning		Built-in processor	✓
Duplex scanning *	✓	Processor frequency	1600 MHz
Scanning *	Colour scanning	Sound pressure level (printing)	51 dB
Optical scanning resolution *	600 x 600 DPI	Sound pressure level (duplex printing)	53 dB
Scanner type *	ADF scanner	Sound pressure level (standby)	32 dB
Scan to	Cloud, E-mail, FTP, PC, USB	Design	
Scan speed (colour)	95 ppm	Product colour *	White
Scan speed (black)	95 ppm	Market positioning *	Home & office
Duplex scan speed (colour)	190 ppm	Built-in display *	✓
Duplex scan speed (black)	190 ppm	Display diagonal	17.8 cm (7")
Image formats supported	JPEG, TIFF	Control type	Touch
Document formats supported	PDF, XML, XPS		
Input colour depth	24 bit		
Output colour depth	24 bit		
Greyscale levels	256		

Scanning		Design	
Scan drivers	TWAIN, WIA	Colour display	✓
Fax		Power	
Duplex faxing	✓	Power consumption (max)	1500 W
Fax resolution (black)	400 x 400 DPI	Power consumption (printing)	701 W
Fax transmission speed	3 sec/page	Power consumption (standby)	40.6 W
Modem speed	33.6 Kbit/s	Power consumption (sleep)	0.9 W
Fax memory	30000 pages	Energy Star Typical Electricity Consumption (TEC)	0.37 kWh/week
Speed dialling	✓	AC input voltage	220 - 240 V
Features		AC input frequency	50/60 Hz
Maximum duty cycle *	80000 pages per month	System requirements	
Duplex functions *	Copy, Fax, Print, Scan	Windows operating systems supported	Windows 10, Windows 11
Number of print cartridges *	4		Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3
Printing colours *	Black, Cyan, Magenta, Yellow	Mac operating systems supported	Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma
Page description languages	PCL 5c, PCL 6, PostScript 3	Linux operating systems supported	✓
Printer fonts	Barcode, PCL, PostScript	Server operating systems supported	Windows Server 2016, Windows Server 2019, Windows Server 2022
Input & output capacity		Operational conditions	
Total input capacity *	750 sheets	Operating relative humidity (H-H)	20 - 80%
Total output capacity *	200 sheets	Storage temperature (T-T)	10 - 30 °C
Paper tray 1 input capacity	550 sheets	Weight & dimensions	
Multi-Purpose tray	✓	Width	500 mm
Multi-Purpose tray input capacity	100 sheets	Depth	556 mm
Auto document feeder (ADF)	✓	Height	640 mm
Auto document feeder (ADF) input capacity	100 sheets	Weight	41 kg
Maximum input capacity	2300 sheets	Packaging content	
Paper handling		Cartridge(s) included	✓
Maximum ISO A-series paper size *	A4	Included cartridge capacity (black)	6000 pages
		Included cartridge capacity (CMY)	3200 pages



4549292218923

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 31-MAR-2025. Prints or copies of Information are only valid on the printed Publication date